

Clicker Press

Model C0056

a measurable difference...

IDM[®]
instruments

These economically priced Clicker Presses are used for a wide variety of die cutting applications. The Clicker Press machines are completely hydraulic and are made of strong casting material to ensure powerful yet quiet running. The Clicker Press casting also insures maximum beam strength and performance. All moving parts are made of hardened steel and are self-lubricating. There are many models available ranging from 8-25 tons with bed sizes up to 20"x40" and cutting heads up to 24" in width.

To guarantee maximum visibility of the material, the swing beam can be easily moved left-right by the operator in order to collect the die cut pieces and re-position the tool for the next cut.



Model C0056

Applications:

- Cardboard
- Paper
- Cork
- Plastic
- Foam
- Rubber
- Leather

Features:

- Automatic stroke end setting
- Different height cutting die without adjustment
- Control push buttons with built in device
- Overload protection
- High speed and low energy consumption
- Ductile cast iron body made the machine durable and work quietly.

Clicker Press

Model C0056

a measurable difference...

IDM[®]

instruments

Dimensions



Front View



Side View

(Please see table on the next page for more specifications)

Specifications:

Model	Cutting Table area	Arm Width	Tonnage	Max Stroke	Motor	Power	Dimensions	Weight
C0056-M1	900 x 430mm	370mm	20T	90mm	1.1 kW	3Hp 415V	900 x 820 x 1400mm	650kg
C0056-M2	1000 x 500mm	370mm	27T	90mm	1.5 kW	3Hp 415V	1000 x 1020 x 1400mm	960kg
C0056-M3	1000 x 500mm	500mm		90mm	1.5 kW	3Hp 415V	1000 x 1020 x 1400mm	1050kg
C0056-M4	1000 x 500mm	610mm	27T	90mm	1.5 kW	3Hp 415V	1000 x 1020 x 1400mm	1200kg

Related Items:

1. Use the C0024 Tool Steel Cutting Dies with the Clicker Press. The dies are designed to a range of Standards to suit a variety of testing methods.
2. Use the C0025 Ruler Dies with the Clicker Press. Ruler Dies come in the same sizes as the C0024 Tool Steel Dies, as a more economical option.

